

2000/2005

BAYGON®
U-L-V SPRAY (ULTRA LOW VOLUME) INSECTICIDE

FOR CONTROL OF ADULT MOSQUITOES

COMMERCIAL

GUARANTEE: PROPOXUR*... 240 g/L

*U.S. PATENT NO. 3,111,539
CANADIAN PATENT NO. 725,204

NET CONTENTS ____ LITRES

REGISTRATION NUMBER 11029 PEST CONTROL PRODUCTS ACT

CAUTION: DO NOT STORE BELOW 0°C.
KEEP AWAY FROM DIRECT SUNLIGHT,
RADIATORS, STOVES AND OTHER HEAT.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN
(See Rear Panel for First Aid and Danger Statements)

READ THE LABEL BEFORE USING

BAYER
BAYER INC.
Agriculture Division, Animal Health
77 Belfield Road
Toronto, Ontario, Canada M9W 1G6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE

BAYGON ULV insecticide has proved to be very effective for the control of adult mosquitoes. It provides rapid knockdown. Control lasts for up to 24 to 36 hours after application. BAYGON ULV is effective against mosquitoes resistant to certain organophosphate and chlorinated hydrocarbon insecticides as well as non-resistant strains.

Apply BAYGON ULV at rates of 225 to 350 mL (55 to 90 g active) per hectare. The formulation may be applied undiluted with any aircraft equipment that has been adapted and calibrated for applying ultra low-volumes of spray material. Repeat as necessary. Avoid contamination of animal feeding areas such as pastures, and other foraging areas. Do not contaminate water supplies, streams, lakes, or ponds.

PRECAUTIONS

DANGER

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed. Avoid inhalation or skin contact. Wash thoroughly after using. Do not contaminate feed or food.

FIRST AID

In case of poisoning call a physician or poison control centre immediately. Have patient lie down and keep quiet. **If swallowed**, vomiting should be induced. Administer milk or water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer a second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. **DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE.** **If on skin**, remove contaminated clothing and wash skin immediately with soap and warm water. **If eyes are contaminated**, wash immediately with flowing water for at least 15 minutes.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Propoxur inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting, and diarrhea. The antidote is atropine sulphate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning

even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DISPOSAL

1. Rinse the emptied container thoroughly and add rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.

®Baygon is a registered trademark of Bayer AG, used under licence by Bayer Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))