

PYROCIDE® Fogging Formula 7067
for ULV Mosquito Adulticiding

COMMERCIAL

REGISTRATION NO. 13378

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

GUARANTEE:

Pyrethrins	5.00%
Piperonyl butoxide, Technical	25.00%

KEEP OUT OF REACH OF CHILDREN



CAUTION

POISON

Net Contents 500mL - 209 Litres

McLAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
U.S.A.

(763) 544-0341

DIRECTIONS FOR USE

This formulation may be used in mosquito adulticiding programs involving residential and recreational areas, overgrown wasteland areas, roadsides and pastures where adult mosquitoes are present in annoying numbers.

Best results are obtained by application when there is a slight breeze of 3.25 km/hr or less. Fog with the breeze so that the wind will carry fog from roads or paths into the area to be treated. Repeat applications as needed to obtain desired reduction in adult mosquito population.

For Truck-Mounted LECQ Machine: Objective is to treat terrain with 2.5 to 3 grams of pyrethrins and 25 to 31.25 grams of piperonyl butoxide per hectare. Fog this solution with a discharge rate of 60 to 67.5 mL per minute while machine is moving 3.25 km/hr and pressure is set at 210.9 g/cm². Discharge nozzle is positioned approximately 30° above horizontal off side of truck bed. Delivery rate and traveling speed can be varied slightly, as long as the basic objective of 2.5 to 3 grams actual pyrethrins per hectare is maintained. Use swath width of 100 meters for hectare calculations.

PRECAUTIONS: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Wear mask or respirator when applying spray mist. Avoid contact with skin and eyes. Do not contaminate food or feedstuffs.

This product is toxic to fish and other aquatic animals. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists or contact a poison control centre. Wash contaminated clothing with warm water and soap before reuse. If swallowed do not induce vomiting because of aspiration hazard. Contains petroleum distillate. Call a physician or contact a Poison Control Centre immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

1. Triple-or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE: Keep container closed. Mix well in drum before sampling and each use. Store in a cool, dry place. Do not store, pour or spill near heat or open flame.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.