FORM A: BID (See B7)

1.	Contract Title	SUPPLY AND DELIVERY OF LIGHT VEHICLES
2.	Bidder	
		Name of Bidder
		Street
		City Province Postal Code
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

SECTION A

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX QTY	UNIT PRICE	AMOUNT
1	6000 lbs. GVWR Regular Cab Pick-up Truck	PR20	Each	4	\$	\$
1(a)	6000 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR21	Each	4	\$	\$
2	4600 lbs. GVWR Extended Cab Pick-up Truck	PE10	Each	2	\$	\$
2(a)	4600 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE11	Each	3	\$	\$
3	6200 lbs. GVWR Extended Cab Pick-up Truck	PE20	Each	5	\$	\$
3(a)	6200 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE21	Each	15	\$	\$
4	6500 lbs. GVWR Crew Cab Pick-up Truck	PC20	Each	3	\$	\$
4(a)	6500 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC21	Each	3	\$	\$
5	4-Door Compact Sedan	A10	Each	7	\$	\$
6	4-Door Mid-Size Sedan	A20	Each	1	\$	\$
TOTAL BID PRICE SECTION A (GST and MRST extra) (in figures)\$						
(in words)						

Name of Bidder	

FORM B: PRICES

(See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

SECTION B

UNIT PRICES

ITEM	PRICES DESCRIPTION	SPEC.	UNIT	APPROX	UNIT	AMOUNT
NO.	220011111111	REF.	G	QTY	PRICE	7 6
7	8500 lbs. GVWR Regular Cab Pick-up Truck	PR30	Each	2	\$	\$
7(a)	8500 lbs. GVWR Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR30	Each	2	\$	\$
7(b)	8500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR31	Each	2	\$	\$
7(c)	8500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR31	Each	3	\$	\$
7(d)	8500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck w/ Option 1: Diesel Engine & Option 2: Snow Plow Prep Package	PR31	Each	1	\$	\$
8	8500 lbs. GVWR Extended Cab Pick-up Truck	PE30	Each	2	\$	\$
8(a)	8500 lbs. GVWR Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE30	Each	2	\$	\$
8b	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE31	Each	5	\$	\$
8(c)	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/ Option 2: 8 ft. Cargo Box & Option 3: Elec. Brake Cont.	PE31	Each	5	\$	\$
8(d)	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE31	Each	2	\$	\$
9	9200 lbs. GVWR Crew Cab Pick-up Truck	PC30	Each	3	\$	\$
9(a)	9200 lbs. GVWR Crew Cab Pick-up Truck w/Option 1: Diesel Engine	PC30	Each	2	\$	\$
9(b)	9200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC31	Each	4	\$	\$

FORM B: PRICES

(See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

SECTION B

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX QTY	UNIT PRICE	AMOUNT
9(c)	9200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck w/ Option 1: Diesel Engine	PC31	Each	2	\$	\$_
TOTA (in wo	L BID PRICE SECTION B (GST	and MR	ST extra	a) (in figure	es)\$	
					Name of Ridder	

FORM N: DETAILED SPECIFICATIONS

PR20 (4x2) – Section A, Item 1 PR21 (4x4) – Section A, Item 1a



6,000 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITEM		SPECIFICATION	
3.	GVWR	6,000 min., state	
4.	Wheelbase	133 – 145 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	t.
7.	Cab configuration	Regular cab	
8.	Engine	V8, EFI, gasoline, state displacement	
9.	Fuel consumption PR20	State city rating, L/100km	
9.1	Fuel consumption PR21	State city rating, L/100km	
10.	Block heater	Required with cord through grille	
11.	Coolant	Extended Life Coolant, -35°C	
12.	Battery	720 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Wheels	Standard manufacturer's wheels, without locking nuts	
18.	Tires – Front & rear	BSW Tier I all terrain mud and snow, state size	
18.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	

DETAILED SPECIFICATIONS PR20/21 (continued)

19.	Spare wheel & tire	Required with underbody carrier	
20.	Mudflaps	Required front and rear, OEM, moulded	
21.	Rear axle	Limited slip or posi-traction	
21.	Front axle – PR21	4WD with dash mounted electronic shift	
22.	Floor covering	Carpeting throughout with throw-in rubber floor mats	
23.	Windshield	Tinted	
24.	Windshield wipers	Intermittent	
24.	1 Wiper blades	Winter blades with heavy duty rubber boot	
25.	Mirrors	Interior rearview & heated dual exterior	
26.	Ignition keys	Three (3) sets required	
27.	Air conditioning	Required	
28.	Tilt steering	Required	
29.	Cruise control	Required	
30.	Door locks	Power	·
31.	Remote keyless entry	Two (2) required	
32.	Windows	Power	
33.	Seats, front	Cloth-faced, split bench	
34.	Radio	AM-FM with CD player	
35.	12-Volt power point	Required	
36.	Air bags	Required, front driver's and passenger	
37.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish, OEM	
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	
42.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
43.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
44.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	

<u>DETAILED SPECIFICATIONS PR20/21</u> (continued)

45.	Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
46.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

PE10 (4x2) – Section A, Item 2 PE11 (4x4) – Section A, Item 2a



4,600 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITEM	SPECIFICATION			
3. GVWR	4,600 min., state			
4. Wheelbase	123 – 131 in.			
5. Cargo length	5 ft. minimum			
6. Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails			
7. Cab configuration	Extended cab			
8. Door configuration	Four (4) doors			
9. Engine	5 or 6 cyl., EFI, gasoline, state displacement			
10. Fuel consumption PE10	State city rating, L/100km			
10.1Fuel consumption PE11	State city rating, L/100km			
11. Block heater	Required with cord through grille			
12. Coolant	Extended Life Coolant, -35°C			
13. Battery	650 CCA minimum			
14. Transmission	Automatic			
15. Transmission cooling	As required for trailer towing			
16. Steering	Power			
17. Brakes	Power with ABS			
18. Wheels	Standard manufacturer's wheels, without locking nuts			
19. Tires – Front & rear	BSW Tier I all terrain mud and snow, state size			
19.1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich			

tires preferred (see D17.)

<u>DETAILED SPECIFICATIONS PE10/11</u> (continued)

20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	·
22.	Rear axle	Limited slip or posi-traction	·
22.1	Front axle – <i>PE11</i>	4WD with dash mounted electronic shift	<u></u>
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	· <u></u>
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	·
31.	Door locks	Power	<u></u>
32.	Remote keyless entry	Two (2) required	<u></u>
33.	Windows	Power	<u></u>
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	<u></u>
35.	Seat, rear	Cloth-faced, bench or jumpseat	<u></u>
36.	Radio	AM-FM with CD player	<u></u>
37.	Air bags	Required, front driver's and passenger	<u></u>
38.	12-Volt power point	Required	<u></u>
39.	Fuel tank	70 litre minimum, fully fuelled upon delivery	<u></u>
40.	Tubular side steps	Dual, chrome finish, OEM	<u></u>
41.	Bumper	Rear step bumper	<u></u>
42.	Towing prep package	Class II (3,500 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
43.	Colour - Interior	Blue or grey	
	- Exterior	White	
44.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
45.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
46.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	

<u>DETAILED SPECIFICATIONS PE10/11</u> (continued)

47. Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery
48. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

2.0

PE20 (4x2) – Section A, Item 3 PE21 (4x4) – Section A, Item 3a



6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

STATE YEAR, MAKE & MODEL BEING BID:

ITE	M	SPECIFICATION	BIDDER TO STATE "Y OR STATE DEVIATION
3.	GVWR	6,200 lbs. min.	
4.	Wheelbase	138 – 145 in.	
5.	Cargo length	6.5 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	t.
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Fuel consumption PE20	State city rating, L/100km	
10.	1Fuel consumption PE21	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Extended Life Coolant, -35°C	
13.	Battery	720 CCA minimum	
14.	Transmission	Automatic	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	
18.	Wheels	Standard manufacturer's wheels, without	

BSW Tier I all terrain mud and snow, state size

locking nuts

19. Tires – Front & rear

DETAILED SPECIFICATIONS PE20/21 (continued)

19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	
20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – <i>PE21</i>	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
35.	Seat, rear	Cloth-faced, bench	
36.	Radio	AM-FM with CD player	
37.	12-Volt power point	Required	
38.	Air bags	Required, front driver's and passenger	
39.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
40.	Tubular side steps	Dual, chrome finish, OEM	
41.	Bumper	Rear step bumper	
42.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
43.	Colour - Interior	Blue or grey	
	- Exterior	White	
44.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
45.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	

DETAILED SPECIFICATIONS PE20/21 (continued)

46. Delivery co	ontact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
47. Vehicle spo	ecifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
48. PDI		A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

2.

19. Tires – Front & rear

PC20 (4x2) – Section A, Item 4 PC21 (4x4) – Section A, Item 4a



6,500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

STATE YEAR, MAKE & MODEL BEING BID:

ITE	M	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION
3.	GVWR	6,500 – 8,000 lbs.	
4.	Wheelbase	136 - 145 in.	
5.	Cargo length	5.5 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	i.
7.	Cab configuration	Crew cab	
8.	Door configuration	Four (4) full sized, front hinged doors	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Fuel consumption PC20	State city rating, L/100km	
10.	1Fuel consumption PC21	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Extended Life Coolant, -35°C	
13.	Battery	720 CCA minimum	
14.	Transmission	Automatic	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	
18.	Wheels	Standard manufacturer's wheels, without locking nuts	

BSW Tier I all terrain mud and snow, state size

DETAILED SPECIFICATIONS PC20/21 (continued)

19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	
20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – PC21	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
35.	Seat, rear	Cloth-faced, bench	
36.	Radio	AM-FM with CD player	
37.	Air bags	Required, front driver's and passenger	
38.	12-Volt power point	Required	
39.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
40.	Tubular side steps	Dual, chrome finish, OEM	
41.	Bumper	Rear step bumper	
42.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
43.	Colour - Interior	Blue or grey	
	- Exterior	White	
44.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
45.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	

<u>DETAILED SPECIFICATIONS PC20/21</u> (continued)

46. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
47. Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
48. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

A10 - Section A, Item 5

Winnipeg

4-DOOR COMPACT SEDAN

- 1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS
- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3. Wheelbase	102 – 106 in., state	
4. Engine	4-cylinder, EFI, gasoline, state displacement	
5. Fuel consumption	State city rating, L/100km	
6. Block heater	Required with cord through grille	
7. Coolant	Extended Life Coolant, -35°C	
8. Battery	550 CCA minimum	
9. Transmission	Automatic	
10. Steering	Power	
11. Brakes	Power with ABS	
12. Wheels	Standard manufacturer's wheels, without locking nuts	
13. Tires - Front & rear	BSW all season radials, state size	
13.1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	
14. Spare wheel & tire	Required with carrier	
15. Floor covering	Carpeting with throw-in rubber floor mats, front and rear	
16. Mirrors	Interior rearview & heated dual exterior	
17. Windshield	Tinted	
18. Windshield wipers	Intermittent	
18.1Wiper blades	Winter blades with heavy duty rubber boot	
19. Ignition keys	Three (3) sets required	
20. Air conditioning	Required	

DETAILED SPECIFICATIONS A10 (continued)

21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Door locks	Power	
24.	Remote keyless entry	Two (2) required	
25.	Windows	Power	
26.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
27.	Rear window defroster	Electric	
28.	Radio	AM-FM with CD player	
29.	Air bags	Required, front driver's and passenger	
30.	12-Volt power point	Required	
31.	Fuel tank	Fully fuelled upon delivery	
32.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	
33.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
34.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
35.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
36.	Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
37.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

A20 - Section A, Item 6

Winnipeg

4-DOOR MID-SIZE SEDAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITEM	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION
3. Wheelbase	110 in. minimum, state	
4. Engine	6-cylinder, EFI, gasoline, state displacement	
G		
5. Fuel consumption	State city rating, L/100km	
6. Block heater	Required with cord through grille	
7. Coolant	Extended Life Coolant, -35°C	
8. Battery	550 CCA minimum	
9. Transmission	Automatic	
10. Steering	Power	
11. Brakes	Power with ABS	
12. Wheels	Standard manufacturer's wheels, without locking nuts	
13. Tires - Front & rear	BSW all season radials, state size	
13.1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	
14. Spare wheel & tire	Required with carrier	
15. Floor covering	Carpeting with throw-in rubber floor mats, front and rear	
16. Mirrors	Interior rearview & heated dual exterior	
17. Windshield	Tinted	
18. Windshield wipers	Intermittent	
18.1Wiper blades	Winter blades with heavy duty rubber boot	
19. Ignition keys	Three (3) sets required	
20. Air conditioning	Required	
•	•	

DETAILED SPECIFICATIONS A20 (continued)

21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Door locks	Power	
24.	Remote keyless entry	Two (2) required	
25.	Windows	Power	
26.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
27.	Rear window defroster	Electric	
28.	Radio	AM-FM with CD player	
29.	Air bags	Required, front driver's and passenger	
30.	12-Volt power point	Required	
31.	Fuel tank	Fully fuelled upon delivery	
32.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	
33.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
34.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
35.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
36.	Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
37.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

PR30 (4x2) – Section B, Item 7/7a PR31 (4x4) – Section B, Item 7b/7c/7d



8,500 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	2. STATE YEAR, MAKE & MODEL BEING BID:			
ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION	
3.	GVWR	8,500 lbs. min., state		
4.	Wheelbase	133 – 141 in.		
5.	Cargo length	8 ft. nominal		
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	 	
7.	Cab configuration	Regular cab		
8.	Engine	V8, EFI, gasoline, state displacement		
9.	Block heater	Required with cord through grille		
10.	Coolant	Extended Life Coolant, -35°C		
11.	Battery	720 CCA minimum		
12.	Transmission	Automatic		
13.	Transmission cooling	As required for trailer towing		
14.	Steering	Power		
15.	Brakes	Power with ABS		
16.	Wheels	Standard manufacturer's wheels, without locking nuts		
17.	Tires – Front & rear	LT, BSW Tier I all terrain mud & snow, state size		
17.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)		
18.	Spare wheel & tire	Required with underbody carrier		
19.	Mudflaps	Required, front and rear, OEM, moulded		
20.	Rear axle	Limited slip or posi-traction		

DETAILED SPECIFICATIONS PR30/31 (continued)

20.1	Front axle – <i>PR</i> 31	4WD with dash mounted electronic shift	
21.	Floor covering	Carpeting throughout w/throw-in rubber floor mats	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.	l Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & heated dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench	
33.	Radio	AM-FM with CD player	
34.	12-Volt power point	Required	
35.	Air bags	Required, front driver's and passenger	
36.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
37.	Tubular side steps	Dual, chrome finish, OEM	
38.	Bumper	Rear step bumper	
39.	Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	
40.	Colour - Interior	Blue or grey	
	- Exterior	White	
41.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
42.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
43.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
44.	Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
45.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

<u>DETAILED SPECIFICATIONS PR30/31</u> (continued)

Options:

Note: Options to be priced only as indicated on Form B: Prices		
46. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement	
47. Option 2: Snow Plow Pkg.	Snow plow prep package including HD alternator(s), skid plates, trans. cooler, etc. as recommended by manufacturer	

2.

PE30 (4x2) – Section B, Item 8/8a PE31 (4x4) – Section B, Item 8b/8c/8d



8,500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

STATE YEAR, MAKE & MODEL BEING BID:

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEN	Л	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION
3.	GVWR	8,500 lbs. min., state	
4.	Wheelbase	138 – 145 in.	
5.	Cargo length	6.5 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistan Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	t.
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Block heater	Required with cord through grille	
11.	Coolant	Extended Life Coolant, -35°C	
12.	Battery	720 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	- <u></u>
17.	Wheels	Standard manufacturer's wheels, without locking nuts	
18.	Tires - Front & rear	LT, BSW Tier I all terrain mud & snow, state size	·
18.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich	

tires preferred (see D17.)

<u>DETAILED SPECIFICATIONS PE30/31</u> (continued)

19.	Spare wheel & tire	Required with underbody carrier	
20.	Mudflaps	Required, front and rear, OEM, moulded	
21.	Rear axle	Limited slip or posi-traction	
21.1	Front axle – PE31	4WD with dash mounted electronic shift	
22.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23.	Windshield	Tinted	
24.	Windshield wipers	Intermittent	
24.1	Wiper blades	Winter blades with heavy duty rubber boot	
25.	Mirrors	Interior rearview & heated dual exterior	
26.	Ignition keys	Three (3) sets required	
27.	Air conditioning	Required	
28.	Tilt steering	Required	
29.	Cruise control	Required	
30.	Door locks	Power	
31.	Remote keyless entry	Two (2) required	
32.	Windows	Power	
33.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
34.	Seat, rear	Cloth-faced, bench	
35.	Radio	AM-FM with CD player	
36.	Air bags	Required, front driver's and passenger	
37.	12-Volt power point	Required	
38.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
39.	Tubular side steps	Dual, chrome finish, OEM	
40.	Bumper	Rear step bumper	
41.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
42.	Colour - Interior	Blue or grey	
	- Exterior	White	
43.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
44.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	
45.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	

DETAILED SPECIFICATIONS PE30/31 (continued)

46. Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery		
47. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list		
Options:			
Note: Options to be priced only as indicated on Form B: Prices			
48. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement		
49. Option 2: Cargo length	8 ft. nominal (154-161 in. WB)		
50. Option 3: Brake Controller	Electric brake controller, in-cab mounted		
•	· ·		

2.

PC30 (4x2) – Section B, Item 9/9a PC31 (4x4) – Section B, Item 9b/9c



9,200 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

STATE YEAR, MAKE & MODEL BEING BID:

ITEM	SPECIFICATION	BIDDER TO STATE "YE OR STATE DEVIATION
3. GVWR	9,200 lbs. min., SRW, state GVWR	
3.1 MGI	Vehicles over 10,000 lbs. GVWR shall be supplied with a current year Manitoba Gov't Inspection with Safety Sticker on the driver's side window	·
4. Wheelbase	167 – 175 in.	
5. Cargo length	8 ft. nominal	
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7. Cab configuration	Crew cab	
8. Door configuration	Four (4) full sized, front hinged doors	
9. Engine	V8, EFI, gasoline, state displacement	
10. Block heater	Required with cord through grille	
11. Coolant	Extended Life Coolant, -35°C	
12. Battery	720 CCA minimum	
13. Transmission	Automatic	
14. Transmission cooling	As required for trailer towing	
15. Steering	Power	
16. Brakes	Power with ABS	
17 Wheels	Standard manufacturer's wheels, without	

locking nuts

<u>DETAILED SPECIFICATIONS PC30/31</u> (continued)

18.	Tires – Front & rear	LT, BSW Tier I all terrain mud & snow, state size	
18.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D17.)	
19.	Spare wheel & tire	Required with underbody carrier	
20.	Mudflaps	Required, front and rear, OEM, moulded	
21.	Rear axle	Limited slip or posi-traction	
21.1	Front axle - PC31	4WD with dash mounted electronic shift	
22.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23.	Windshield	Tinted	
24.	Windshield wipers	Intermittent	
24.1	Wiper blades	Winter blades with heavy duty rubber boot	
25.	Mirrors	Interior rearview & heated dual exterior	
26.	Ignition keys	Three (3) sets required	
27.	Air conditioning	Required	
28.	Tilt steering	Required	
29.	Cruise control	Required	
30.	Door locks	Power	
31.	Remote keyless entry	Two (2) required	
32.	Windows	Power	
33.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
34.	Seat, rear	Cloth-faced, bench	
35.	Radio	AM-FM with CD player	
36.	Air bags	Required, front driver's and passenger	
37.	12-Volt power point	Required	
38.	Fuel tank	110 litre minimum, fully fuelled upon delivery	
39.	Tubular side steps	Dual, chrome finish, OEM	
40.	Bumper	Rear step bumper	
41.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
42.	Colour - Interior	Blue or grey	
	- Exterior	White	
43.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
44.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	

DETAILED SPECIFICATIONS PC30/31 (continued)

45. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
46. Vehicle specifics	The Contractor shall fax all vehicle Serial #s, hours/mileage to the Contract Administrator 1-calendar week prior to delivery	
47. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	,
Options:		
Note: Options to be priced only a	as indicated on Form B: Prices	
48. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement	