

**FORM A: BID**  
(See B7)

1. Contract Title SUPPLY AND DELIVERY OF LUBRICANTS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

5. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.

6. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

7. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

8. Time

This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

9. Signatures

The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

	Signature of Bidder or Bidder's Authorized Official or Officials
	_____
	(Print here name and official capacity of individual whose signature appears above)
	_____
	(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – HEAVY DUTY SINGLE GRADE**

Item No.		1	2 to 3	4	
Description		Engine oil - heavy duty 10W	Engine oil - heavy duty 30	Engine oil - heavy duty 40	
SAE Viscosity Grade		10W	30	40	
API	CF-2		◆	◆	
	CF	◆	◆	◆	
	SJ		◆	◆	
Allison	C-4	◆	◆		
Caterpillar	SEBU 6385		◆		
	TO-2	◆	◆		
Detroit Diesel	7SE270 2-stroke			◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
1.	Engine oil - heavy duty 10W - 1 L container	130 L		\$ /L
2.	Engine oil - heavy duty 30 - 1 L container	30 L		/L
3.	Engine oil - heavy duty 30 - 20 L container	760 L		/L
4.	Engine oil - heavy duty 40 - bulk	31,000 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – HEAVY DUTY MULTI-GRADE**

Item No.		5	6 to 7	8 to 12	
Description		Engine oil - heavy duty 0W 30	Engine oil - heavy duty 10W 30	Engine oil - heavy duty 15W 40	
SAE Viscosity Grade		0W 30	10W 30	15W 40	
API	CI-4		◆	◆	
	CH-4	◆			
	<b>CJ-4</b>			◆	
	CF		◆	◆	
	CF-2			◆	
	SM		◆	◆	
Allison	C-4	◆	◆	◆	
Caterpillar	SEBU 6385	◆	◆	◆	
	TO-2	◆	◆	◆	
Cummins	CES 20078		◆	◆	
<b>Detroit Diesel</b>	<b>7SE270 2-stroke</b>			◆	
	7SE270 4-stroke				
	7SE273 Category I & II			◆	
Mack	EO-M Plus	◆	◆	◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
5.	Engine oil - heavy duty 0W 30 - 20 L container	52 L		\$ /L
6.	Engine oil - heavy duty 10W 30 - 1 L container	320 L		/L
7.	Engine oil - heavy duty 10W 30 - 20 L container	20 L		/L
8.	Engine oil - heavy duty 15W 40 - 1 L container	724 L		/L
9.	Engine oil - heavy duty 15W 40 - 4 L container	70 L		/L
10.	Engine oil - heavy duty 15W 40 - 20 L container	28 L		/L
11.	Engine oil - heavy duty 15W 40 - 205 L container	280 L		/L
12.	Engine oil - heavy duty 15W 40 - bulk	65,500 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – GASOLINE ENGINES**

Item No.	13	14 to 16	17 to 19	20 to 22
Description	Engine oil - gasoline engine 0W 30	Engine oil - gasoline engine 5W 20	Engine oil - gasoline engine 5W 30	Engine oil - gasoline engine 10W 30
SAE Viscosity Grade	0W 30	5W 20	5W 30	10W 30
API SM	◆	◆	◆	◆
ILSAC GF-4	◆	◆	◆	◆

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
13.	Engine oil - gasoline engine 0W 30 - 1 L container	10 L		\$ /L
14.	Engine oil - gasoline engine 5W 20 - 1 L container	492 L		/L
15.	Engine oil - gasoline engine 5W 20 - 205 L container	360 L		/L
16.	Engine oil – gasoline engine 5W 20 - bulk	3,500 L		/L
17.	Engine oil - gasoline engine 5W 30 - 1 L container	684 L		/L
18.	Engine oil - gasoline engine 5W 30 - 205 L container	205 L		/L
19.	Engine oil - gasoline engine 5W 30 - bulk	9,000 L		/L
20.	Engine oil - gasoline engine 10W 30 - 1 L container	32 L		/L
21.	Engine oil - gasoline engine 10W 30 - 20 L container	60 L		/L
22.	Engine oil - gasoline engine 10W 30 - 205 L container	84 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – NATURAL GAS ENGINES (NON-AUTOMOTIVE)**

Item No.	23	24		
Description	Engine oil - natural gas engine 40	Engine oil - natural gas engine 15W 40		
SAE Viscosity Grade	40	15W 40		
Sulphated Ash (% weight)	0.4 to 0.5	0.4 to 0.5		
Total Base No. (min.)	5.0	5.0		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
23.	Engine oil - natural gas engine 40 - 205 L container	500 L		\$ /L
24.	Engine oil - natural gas engine 15W 40 - 205 L container	500 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**GEAR OIL – AUTOMOTIVE**

Item No.		25 to 26.	27 to 29	30	
Description		Gear oil 75W 90	Gear oil 80W 90	Gear oil 80W 140 EP	
SAE Viscosity Grade		75W 90	80W 90	80W 140	
API	GL-5	◆	◆	◆	
	MT-1	◆	◆	◆	
Mack	GO-J	◆	◆	◆	
Eaton	PS 163			◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
25.	Gear oil 75W 90 - 60 L container	180 L		\$ /L
26.	Gear oil 75W 90 - 205 L container	25 L		/L
27.	Gear oil 80W 90 - 20 L container	187 L		/L
28.	Gear oil 80W 90 - 60 L container	212 L		/L
29.	Gear oil 80W 90 - 205 L container	10,455 L		/L
30.	Gear oil 80W 140 EP - 60 L container	520 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**AUTOMATIC TRANSMISSION FLUID**

Item No.		31 to 33	34	35	36
Description		Dexron VI / Mercon	Dexron VI / Mercon - Spec	Mercon V	Dexron VI / Mercon
Ford	WSP M2C185-A	◆	◆	◆	
	WSE M2C202-B		◆	◆	
GM	6297M	◆			
Allison	C-4	◆			
	TES 389				◆
	TES 295		◆		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
31.	Dexron VI / Mercon - 1 L container	560 L		\$ /L
32.	Dexron VI / Mercon - 20 L container	850 L		/L
33.	Dexron VI / Mercon - 205 L container	650 L		/L
34.	Dexron VI / Mercon - bulk	15,000 L		/L
35.	Mercon V - 205 L container	820 L		/L
36	Dexron VI / Mercon - bulk	25,000 L		/L



**FORM B(R2): PRICES**  
 See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**TRACTOR TRANSMISSION / HYDRAULIC FLUID**

Item No.	37 to 38			
Description	Tractor transmission / hydraulic fluid			
Viscosity (cSt @ 40°C)	55 to 65			
Viscosity Index (min.)	140			
Pour Point (max.)	-42°C			
API GL-4	◆			
Allison C-4	◆			
Caterpillar TO-2	◆			
John Deere J20C	◆			
J20D				

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
37.	Tractor transmission / hydraulic fluid - 20 L container	220 L		\$ /L
38.	Tractor transmission / hydraulic fluid - 205 L container	800 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

**UNIT PRICES**

**HYDRAULIC FLUID**

Item No.	39	40		
Description	Hydraulic fluid 32	Hydraulic fluid 46		
ISO Viscosity Grade	32	46		
Viscosity Index (min.)	95	95		
Pour Point (max.)	-39°C	-36°C		
Oxidation Stability (min.)	6500 h	6500 h		
Dennison HF-O	◆	◆		
Vickers 35VQ 25	◆	◆		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
39.	Hydraulic fluid 32 - 205 L container	3,690 L		\$ /L
40.	Hydraulic fluid 46 - 205 L container	410 L		/L

**HYDRAULIC FLUID – WIDE TEMPERATURE RANGE / ALL SEASON**

Item No.	41	42 to 43	44	
Description	Hydraulic fluid 15 wide temperature range	Hydraulic fluid 22 wide temperature range	Hydraulic fluid 46 all season	
ISO Viscosity Grade	15	22	46	
Viscosity Index (min.)	380	160	240	
Operating temperature range (min.)	-45 to +23°C	-25 to +57°C	-18 to +75°C	
Pour Point (max.)	-57°C	-51°C	-48°C	
Oxidation Stability (min.)	3000 h	6500 h	6500 h	
Dennison HF-O		◆		
Vickers 35VQ 25		◆		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
41.	Hydraulic fluid 15 wide temperature range - 205 L container	846 L		\$ /L
42.	Hydraulic fluid 22 wide temperature range - 20 L container	450 L		/L
43.	Hydraulic fluid 22 wide temperature range - 205 L container	5,400 L		/L
44	Hydraulic oil 46 all season - 20 L container	950 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**GREASE – MULTIPURPOSE EP LITHIUM**

Item No.	45			
Description	Grease EP1 lithium			
NLGI Grade	1			
Timken OK Load (min.)	18 kg			
Dropping Point (min.)	190°C			

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
45.	Grease EP1 lithium - 175 KG container	138 KG		\$ /KG

**GREASE – MULTIPURPOSE EP LITHIUM COMPLEX**

Item No.	46	47 to 48	49	
Description	Grease EP1 lithium complex,	Grease EP2 lithium complex	Grease EP2 lithium complex no moly and graphite free	
NLGI Grade	1	2	2	
	GC-LB	◆		
Timken OK Load (min.)	18 kg	27 kg	27 kg	
Dropping Point (min.)	290°C	300°C	230°C	
Molybdenum disulphide (% weight)				

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
46.	Grease EP1 lithium complex - 400 G container	50 KG		\$ /KG
47.	Grease EP2 lithium complex - 400 G container	525 KG		/KG
48.	Grease EP2 lithium complex - 54 KG container	95 KG		/KG
49.	Grease EP2 lithium complex no moly and graphite free 175 KG container	1,575 KG		/KG

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**GREASE – MULTIPURPOSE EP CALCIUM SULPHONATE COMPLEX**

Item No.	50			
Description	Grease EP2 calcium sulphonate complex (no solids lubricants (graphite or MoS2))			
NLGI	Grade	2		
	GC-LB	◆		
Timken OK Load (min.)		27 kg		
Dropping Point (min.)		290°C		
Colour		White / cream		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
50.	Grease EP2 calcium sulphonate complex (no solids lubricants (graphite or MoS2)) - 17 KG container	6,611 KG		\$ /KG

**ENGINE OIL – TWO-CYCLE GASOLINE ENGINES**

Item No.	51	52		
Description	2-cycle engine oil - air-cooled	2-cycle engine oil - water-cooled		
API	TC	◆		
NMMA	TC-W 3	◆		
SAE Fluidity / Miscibility	F/M 4 @ -40°C	F/M 3 @ -25°C		
Fuel/oil ratio	to 50:1	to 100:1		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
51.	2-cycle engine oil - air-cooled - 1 L container	30 L		\$ /L
52.	2-cycle engine oil - water-cooled - 1 L container	30 L		/L

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**CHAIN SAW BAR OIL**

Item No.	53	54		
Description	Chain saw bar oil - winter	Chain saw bar oil - summer		
Viscosity (cSt @ 40°C)	30 to 60	100 to 200		
Pour Point (max.)	-30°C	-9°C		
Flash Point (min.)	140°C	200°C		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
53.	Chain saw bar oil - winter - 4 L container	20 L		\$ /L
54.	Chain saw bar oil - summer - 4 L container	20 L		/L

**STODDART SOLVENT**

Item No.	55			
Description	Stoddart solvent <sup>(1)</sup>			
Flash Point (min.)	40°C			
Aniline Point (max.)	54°C			
Kauri Butanol Value (min.)	39			
General purpose, aliphatic.	◆			

(1) ESSO Varsol 3139, PETRO-CANADA PetroSol 3139, or equal

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
55.	Stoddart solvent - 205 L container	2,050 L		\$ /L

**REFUNDABLE CONTAINER DEPOSIT**

Item No.	Description	Unit Price
56.	205 L container	\$ /EACH

\_\_\_\_\_  
 Name of Bidder