

FORM A: BID
(See B8)

1. Contract Title 2008 SEWER RENEWALS - CONTRACT 16

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A GARFIELD STREET						
A. 1	Wastewater Sewers	CW 2130, E2				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	165.0		
A. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	3.5		
A. 3	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	4		
A. 4	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	330.0		
b)	250mm - CB lead					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	32.0		
A. 5	Sewer Service Risers	CW 2130				
a)	SD-014					
i)	150mm		vert. m	5.0		
A. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	30		
A. 7	Connecting to Existing Manhole	CW 2130				
a)	300mm		each	2		
A. 8	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	165.0		
A. 9	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	12.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 10	Abandoning Existing Manholes	CW 2130	each	2		
A. 11	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m ²	30.0		
A. 12	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	150.0		
A. 13	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	20.0		
A. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4.0		
A. 15	Temporary Surface Restoration	E6, E7				
a)	Street Pavement		m ²	30.0		
b)	Sidewalk		m ²	150.0		
Subtotal F:						
<u>B</u> HARGRAVE STREET (SOUTH OF BROADWAY AVENUE)						
B. 1	Combined Sewers	CW 2130, E2				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	138.0		
b)	375mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	60.0		
B. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	9.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	74.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	74.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
d)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
B. 4	Sewer Service Risers	CW 2130				
a)	SD-015					
i)	250mm		vert. m	5.0		
B. 5	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	2		
b)	250mm - sewer service		each	2		
B. 6	Connecting to Existing Sewer	CW 2130				
a)	375mm to 375mm		each	1		
b)	250mm CB lead to 375 SRS		each	2		
B. 7	Connecting to Existing Catch Basin	CW 2130				
a)	250mm		each	1		
B. 8	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	8		
b)	200mm		each	7		
c)	250mm		each	1		
d)	300mm		each	1		
B. 9	Catch Basin	CW 2130				
a)	SD-024		each	2		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 10	Removal of Existing Catch Basins	CW 2130	each	2		
B. 11	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	18.0		
B. 12	Abandoning Existing Manholes	CW 2130	each	3		
B. 13	Removal of Existing Manholes	CW 2130	each	1		
B. 14	Abandoning of Existing Flush Tank Manhole	CW 2130	each	1		
B. 15	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	198.0		
B. 16	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m ²	50.0		
B. 17	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	85.0		
B. 18	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	20.0		
B. 19	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	9.0		
B. 20	Temporary Surface Restoration	E6, E7				
a)	Street Pavement		m ²	50.0		
b)	Sidewalk		m ²	85.0		
Subtotal A:						
C HARGRAVE STEET (NORTH OF BROADWAY AVENUE)						
C. 1	Wastewater Sewers	CW 2130, E2				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	32.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	6.5		
C. 3	Connecting to Existing Manhole	CW 2130				
a)	300mm		each	1		
C. 4	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	250mm		each	2		
C. 5	Sewer Services	CW 2130				
a)	250mm - CB lead					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
C. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	2.5		
C. 7	Abandoning Existing Manholes	CW 2130	each	1		
C. 8	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	32.0		
C. 9	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		m ²	20.0		
C. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	25.0		
C. 11	Temporary Surface Restoration	E6, E7				
a)	Street Pavement		m ²	20.0		
Subtotal B:						
<u>D</u> ST. ANNES ROAD						
D. 1	Wastewater Sewers	CW 2130, E2				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	100.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	3.5		
D. 3	Sewer Service Risers	CW 2130				
a)	SD-014					
i)	150mm		vert. m	1.0		
D. 4	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	1		
D. 5	Connecting to Existing Sewer	CW 2130				
a)	250mm to 250mm		each	1		
D. 6	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	125.0		
D. 7	Surfacing Material	CW 3150				
a)	Limestone		tonne	5.0		
Subtotal D:						
<u>E</u> WARDLAW AVENUE						
E. 1	Combined Sewers	CW 2130, E2				
a)	375mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	100.0		
E. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	11.0		
E. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	140.0		
b)	250mm - CB lead					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 4	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	8		
b)	250mm - CB lead		each	1		
E. 5	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	5		
E. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	11.0		
E. 7	Removal of Existing Catch Basins	CW 2130	each	1		
E. 8	Catch Basin	CW 2130				
a)	SD-024		each	1		
E. 9	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
E. 10	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	2		
E. 11	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	100.0		
E. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m ²	85.0		
E. 13	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	60.0		
E. 14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	10.0		
E. 15	Temporary Surface Restoration	E6, E7				
a)	Street Pavement		m ²	85.0		
b)	Sidewalk		m ²	60.0		
Subtotal B:						

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F WOLSELEY AVENUE						
F. 1	Combined Sewers	CW 2130, E2				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	86.0		
F. 2	New Manhole on Existing Sewer	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	3.5		
F. 3	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	3.0		
F. 4	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	105.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
F. 5	Connecting to Existing Manhole	CW 2130				
a)	250mm		each	1		
F. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	10		
F. 7	Connecting to Existing Sewer	CW 2130				
a)	250mm CB lead to 375 SRS		each	2		
F. 8	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	86.0		
F. 9	Removal of Existing Catch Basins	CW 2130				
			each	2		
F. 10	Catch Basin	CW 2130				
a)	SD-024		each	2		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 11	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	6.0		
F. 12	Abandoning of Existing Flush Tank Manhole	CW 2130	each	1		
F. 13	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		m ²	80.0		
F. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	50.0		
F. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	10.0		
F. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	75.0		
F. 17	Planing	CW 3450				
a)	Planing 0- 50 mm depth					
i)	Asphaltic Concrete		m ²	450.0		
F. 18	Temporary Surface Restoration	E6, E7				
a)	Street Pavement		m ²	70.0		
b)	Sidewalk		m ²	50.0		
Subtotal E:						
<u>G</u> PROVISIONAL ITEMS						
G. 1	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement for early opening (24 hours)		m ²	25.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	25.0		
G. 2	Cement Stabilized Fill	CW 2030	m ³	100.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 3	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	150mm					
i)	Class 3 backfill		each	2		
G. 4	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	8		
G. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
G. 6	Corporation Stops	CW 2110				
a)	19mm		each	1		
b)	38mm		each	1		
G. 7	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	1		
b)	38mm		each	1		
G. 8	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	1		
b)	38mm		each	1		
G. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	2		
G. 10	Sodding	CW 3510	m ²	50.0		
G. 11	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m ²	50.0		

FORM B (R2): PRICES
 (SEE B9)

2008 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 12	Adjustment of Precast Sidewalk Blocks	CW 3235	m ²	10.0		
G. 13	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	150mm					
i)	Class 3 backfill		each	1		
G. 14	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	4		
Subtotal G:						

TOTAL BID PRICE (GST extra) (in figures)\$ _____

(in words) _____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 699-2008

2008 SEWER RENEWALS - CONTRACT 16

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND
(Page 2 of 2)
(See B11)

AGREEMENT TO BOND
(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 699-2008

2008 SEWER RENEWALS - CONTRACT 16

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 699-2008
2008 SEWER RENEWALS - CONTRACT 16

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 10, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)