

97-2020 ADDENDUM 1

SUPPLY AND DELIVERY OF NARROW-AISLE WAREHOUSE REACH TRUCK

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE TENDER

ISSUED: February 19, 2020 BY: Scott Reid TELEPHONE NO. 204 986-3713

THIS ADDENDUM SHALL BE INCORPORATED INTO THE TENDER AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E - SPECIFICATIONS

Add: E4.1(b) Hyster N30ZR2-N45ZR2 & N30-45ZRS/ZDRS2 as an approved equal

QUESTIONS AND ANSWERS

Q1: What is the desired Capacity of the unit?

A1: 3500 lbs at 24" load centre

Q2: Do you require Single of Double Reach?

A2: Single reach

Q.3: Does the city require Forward or Side Stance Required?

A.3: Side stance

Q.4: Do you require 24 volt or 36 volt unit?

A.4: 24 volt

Q.5: Do you require a programmable lift limiter with override?

A.5: Lift limit without override

Q.6: Do you require a fork height display

A.6: No

Q.7: Is side shift required?

A.7: Yes

Q.8: What fork length is required?

A.8: 42"

Q.9: Is a load backrest required if so 36" or 48" Height?

A.9: Yes, 48" load backrest

Q.10: What is the desired open end clearance (range from 34" to 49")?

A10: 34" in and 45" out.

Q.11: Base arm style, blunt or tapered toe?

A.11: Blunt

Q.12: Of the following what operator compartment options (if any) are needed?

A.12: Load Weight Display: No

Operator Desktop LED Light: No RF Handheld Scanner Holder: No RF Terminal Bracket: No Operator Overhead Fan: No 12 Volt DC Outlet: No Additional Rear Post: No Impact Monitor: No Work Light Package: No Audible Alarm: No Strobe Light: No

- Q.13: There is no mention of a battery in the technical documents. Do you require bidders to include a battery? If so what AH Capacity is needed?
 - A.13: See Bid document section E2.3: The Contractor shall provide all accessories and equipment to ensure operations upon delivery of the Goods, including but not limited to charging and safety equipment.
- Q.14: There is no mention of a charger in the technical documents. Do you require bidders to include a charger? (If so the above information regarding voltage and battery must be answered).
 - A.14: See Bid document section E2.3: The Contractor shall provide all accessories and equipment to ensure operations upon delivery of the Goods, including but not limited to charging and safety equipment.
- Q.15: What is the loading dock access / how is the unit going to be loaded/unloaded? Due to the 119" overall lowered height will the mast have to be installed on site?
 - A.15: Loading dock door is not 119" high, successful bid will have to include a methodology for loading the machine into the warehouse.
- Q.16: How long is the orientation training?

A.16: Minimum 1 hour upon delivery

Q.17: Do you require parts and service manuals?

A.17: Yes