

FORM A: BID
(See B8)

1. Contract Title

Asphalt Reconstructions and Alley Renewals

2. Bidder

Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>KINGSWAY / HARVARD AVE. LANE</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m ³	135		
A.2	Sub-Grade Compaction	CW 3110-R10	m ²	275		
A.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	160		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m ³	25		
A.5	Grading of Boulevards	CW 3110-R10	m ²	100		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	275		
A.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	15		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	250		
	ii) Asphalt Pavement		m ²	5		
A.9	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R12				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	250		
A.10	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	20		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
A.13	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
A.14	Concrete Curb Removal	CW 3240-R7				
	i) Barrier (Separate)		m	5		
A.15	Concrete Curb Installation	CW 3240-R7				
	i) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	5		
A.16	Regrading Existing Interlocking Paving Stones	CW 3330-R4	m ²	5		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	15		
A.18	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	75		
	ADJUSTMENTS					
A.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
	LANDSCAPING					
A.20	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	75		
	ii) width > or = 600mm		m ²	25		
A	<u>KINGSWAY / HARVARD AVE. LANE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>OAK ST. / ELM ST. LANE</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R10	m ³	1250		
B.2	Sub-Grade Compaction	CW 3110-R10	m ²	2230		
B.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	1730		
B.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m ³	175		
B.5	Grading of Boulevards	CW 3110-R10	m ²	150		
B.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	2230		
B.7	Geogrid	E10	m ²	1490		
B.8	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	125		
	ROADWORKS - RENEWALS					
B.9	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	1955		
	ii) Asphalt Pavement		m ²	25		
B.10	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R12				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	1955		
B.11	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	10		
B.12	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10		
B.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
B.14	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
B.15	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Concrete Curb Installation	CW 3240-R7				
	i) Lip Curb (75mm to 200mm ht, Monolithic, 300mm Max. Width)	E11	m	45		
B.17	Concrete Curb Renewal	CW 3240-R7				
	i) Curb Ramp (15mm ht, Separate)	SD-229C,D	m	5		
B.18	Regrading Existing Interlocking Paving Stones	CW 3330-R4	m ²	10		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	20		
B.20	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	95		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.21	Catch Basin	CW 2130-R11				
	i) SD-025		each	1		
B.22	Remove and Replace Existing Catch Basin	CW 2130-R11				
	i) SD-025		each	3		
B.23	Drainage Connection Pipe	CW 2130-R11	m	80		
B.24	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
	ii) AP-006 - Standard Grated Cover for Standard Frame		each	3		
B.25	Installation of Subdrains	CW 3120-R2	m	125		
ADJUSTMENTS						
B.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
B.27	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	0.5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.28	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600mm		m ²	100		
	ii) width > or = 600mm	m ²	50			
B	<u>OAK ST. / ELM ST. LANE</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>WATERLOO ST. / ASH ST. LANE</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m ³	1325		
C.2	Sub-Grade Compaction	CW 3110-R10	m ²	2240		
C.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	1880		
C.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m ³	175		
C.5	Grading of Boulevards	CW 3110-R10	m ²	150		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	2240		
C.7	Geogrid	E10	m ²	2000		
C.8	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	125		
	ROADWORKS - RENEWALS					
C.9	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	1980		
	ii) Asphalt Pavement		m ²	20		
C.10	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R12				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	1980		
C.11	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	10		
C.12	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10		
C.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
C.14	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
C.15	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.16	Concrete Curb Installation	CW 3240-R7				
	i) Lip Curb (75mm to 200mm ht, Monolithic, 300mm Max. Width)	E11	m	80		
C.17	Concrete Curb Renewal	CW 3240-R7				
	i) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	10		
	ii) Curb Ramp (15mm ht, Separate)	SD-229C,D	m	5		
C.18	Regrading Existing Interlocking Paving Stones	CW 3330-R4	m ²	5		
C.19	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	25		
C.20	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	95		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.21	Catch Basin	CW 2130-R11				
	i) SD-025		each	2		
C.22	Catch Pit	CW 2130-R11				
	i) SD-023		each	1		
C.23	Remove and Replace Existing Catch Basin	CW 2130-R11				
	i) SD-025		each	2		
C.24	Drainage Connection Pipe	CW 2130-R11	m	170		
C.25	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-006 - Standard Grated Cover for Standard Frame		each	2		
C.26	Installation of Subdrains	CW 3120-R2	m	155		
ADJUSTMENTS						
C.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.28	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	0.5		
	LANDSCAPING					
C.29	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	100		
	ii) width > or = 600mm		m ²	50		
C	<u>WATERLOO ST. / ASH ST. LANE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>HURST WAY / PARKER AVENUE</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R10	m ³	1490		
D.2	Sub-Grade Compaction	CW 3110-R10	m ²	4980		
D.3	Supplying and Placing Base Course Material	CW 3110-R10, E9	m ³	750		
D.4	Grading of Boulevards	CW 3110-R10	m ²	1990		
D.5	Ditch Grading	CW 3110-R10	m ²	2430		
D.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	4980		
D.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	90		
	ROADWORKS - RENEWALS					
D.8	Pavement Removal	CW 3110-R10				
	i) Asphalt Pavement		m ²	4245		
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	1045		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	35		
	JOINT AND CRACK SEALING					
D.10	Reflective Crack Maintenance	CW 3250-R6	m	1250		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.11	Catch Pit	CW 2130-R11				
	i) SD-023		each	1		
D.12	Drainage Connection Pipe	CW 2130-R11	m	10		
D.13	Corrugated Steel Pipe - Supply	CW 3610-R3				
	i) (250mm, 1.6mm gauge)		m	7		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Corrugated Steel Pipe - Install i) (250mm, 1.6mm gauge)	CW 3610-R3	m	7		
	ADJUSTMENTS					
D.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.16	Adjustment of Valve Boxes	CW 3210-R7	each	1		
D.17	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
D.18	Seeding	CW 3520-R7	m ²	1990		
D	<u>HURST WAY / PARKER AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>WELLINGTON CRESCENT</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R10	m ³	1400		
E.2	Sub-Grade Compaction	CW 3110-R10	m ²	4635		
E.3	Supplying and Placing Base Course Material	CW 3110-R10, E9	m ³	700		
E.4	Grading of Boulevards	CW 3110-R10	m ²	2620		
E.5	Ditch Grading	CW 3110-R10	m ²	90		
E.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	4635		
E.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	115		
	ROADWORKS - RENEWALS					
E.8	Pavement Removal	CW 3110-R10				
	i) Asphalt Pavement		m ²	3995		
E.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	990		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	40		
	JOINT AND CRACK SEALING					
E.10	Reflective Crack Maintenance	CW 3250-R6	m	1100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.11	Catch Basin	CW 2130-R11				
	i) SD-025		each	1		
E.12	Drainage Connection Pipe	CW 2130-R11	m	25		
E.13	Connecting to Existing Manhole	CW 2130-R11				
	i) 250mm Catch Basin Lead		each	1		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Corrugated Steel Pipe - Supply i) (150mm, 1.6mm gauge)	CW 3610-R3	m	6		
E.15	Corrugated Steel Pipe - Install i) (150mm, 1.6mm gauge)	CW 3610-R3	m	6		
ADJUSTMENTS						
E.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
E.17	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.18	Valve Box Extensions	CW 3210-R7	each	1		
LANDSCAPING						
E.19	Sodding i) width > or = 600mm	CW 3510-R9	m ²	2240		
E	<u>WELLINGTON CRESCENT</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>KINGSWAY / HARVARD AVE. LANE</u>				Subtotal:	
B	<u>OAK ST. / ELM ST. LANE</u>				Subtotal:	
C	<u>WATERLOO ST. / ASH ST. LANE</u>				Subtotal:	
D	<u>HURST WAY / PARKER AVENUE</u>				Subtotal:	
E	<u>WELLINGTON CRESCENT</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 470-2008

Asphalt Reconstructions and Alley Renewals

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 470-2008

Asphalt Reconstructions and Alley Renewals

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 14, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)