



1 - ISSUED FOR TENDER JUNE 16, 2014

THIS DRAWING MUST NOT BE SCALED. THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS TO BE REPORTED IMMEDIATELY TO THE LANDSCAPE ARCHITECT.

VARIATIONS & MODIFICATIONS TO WORK SHOWN ON THESE DRAWINGS SHALL NOT BE CARRIED OUT WITHOUT WRITTEN PERMISSION FROM THE LANDSCAPE ARCHITECT.

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE LANDSCAPE ARCHITECTS AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF THE LANDSCAPE ARCHITECTS, IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS LANDSCAPE ARCHITECTS.

PROFESSIONAL SEALS



**PHONE** 204 944 9907

PROJECT TITLE MILLENNIUM LIBRARY PARK

**WEB** htfc.mb.ca

PHASE TWO - ST MARY & SMITH ENTRANCE

DATE PRINTED

9:51 AM Mon, Jun 23, 2014

WINNIPEG, MANITOBA

**IRRIGATION PLAN** 

DRAWING NO. REVIEWED RG MG L1.5 SCALE PROJECT No. 1:100 14-020

14-020 MLP Ph. 2-14-05-20.PC9

IRRIGATION NOTES:

CONSTRUCTION.

INSTALLATION.

SPECIFIED.

PROJECT COMPLETION.

LEVEL 1 WHEREVER POSSIBLE.

1. ENSURE THE LOCATION OF ALL EXISTING SERVICES BOTH OLD AND RECENTLY INSTALLED ARE CLEARLY LOCATED ON SITE PRIOR TO CONSTRUCTION. THE CONTRACTOR WILL BE RESPONSIBLE FOR REPAIRING ALL DAMAGE CAUSED TO SERVICES DURING LANDSCAPE

2. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE SPECIFIED.

DISCREPANCIES TO THE CONTRACTA DMINISTRATOR IMMEDIATELY.

5. ROUTE PIPE AT THE EDGE OF SHRUB BEDS WHEREVER POSSIBLE.

6. MANIFOLD ADJACENT VALVES IN COMMON VALVE BOXES.

3. COORDINATE WORK WITH MECHANICAL AND ELECTRICAL TRADES. REPORT ANY

REFER TO MECHANICAL DRAWINGS FOR LOCATIONS OF EXISTING SERVICES.

4. CONNECT TO EXISTING WATER SUPPLY LINES STUBBED THROUGH DECK FROM PARKING

7. COORDINATE WITH GENERAL CONTRACTOR TO PLACE SLEEVES UNDER HARD LANDSCAPE

PRIOR TO INSTALLATION WHEREVER POSSIBLE. PUSH SLEEVE WHERE PLACING IS NOT

8. PROVIDE HEADERS TO SUIT DRIPLINE LAYOUT. STAKE OUT LOCATION OF VALVES AND

9. LAYOUT LOW VOLUME EMITTER LINES TO SUIT BED CONFIGURATION AND LOCATION. OBTAIN

10. REFER TO SPECIFICATION FOR PERFORMANCE STANDARDS AND AS BUILT REQUIREMENTS.

11. REFER TO PLANTING PLAN L1.4 FOR EXTENT OF SHRUB BED AND VARIOUS PLANT SPACING.

13. ALL DAMAGE TO ADJACENT PROPERTY MUST BE REPAIRED BY THE CONTRACTOR PRIOR TO

IRRIGATION CONTROLS

IN THIS ZONE. COORDINATE WITH MECHANICAL

& ELECTRICAL.

12. TEST, BALANCE AND PROVIDED OPERATIONS MANUAL FOR THE AERATION SYSTEM AS

HEADERS FOR REVIEW AND APPROVAL OF CONTRACT ADMINISTRATOR PRIOR TO

LAYOUT APPROVAL FROM CONTRACT ADMINISTRATOR PRIOR TO INSTALLATION.