



LEGEND

	DENOTES APPROXIMATE EXTENT OF SOFFIT CONCRETE REPAIRS. (UNIT PRICE)
--	---

- NOTES:**
- COMPLETE CONCRETE REPAIRS TO POOL DECK, TANKS, AND PILES.
 - CONCRETE REPAIR AREAS WILL BE IDENTIFIED ON SITE BY THE CONTRACT ADMINISTRATOR, IN THE PRESENCE OF AND WITH THE ASSISTANCE OF THE CONTRACTOR.
 - THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMATION OF SHORING REQUIREMENTS WITH THE CONTRACT ADMINISTRATOR PRIOR TO COMMENCEMENT OF DEMOLITION AND THROUGHOUT REPAIR PROCESS.

The General Contractor shall check and verify all dimensions and report any errors or omissions to the designers.

No.	Date	Issue/Revision	By
0	2019-08-07	ISSUED FOR TENDER	DJM

NOTE:
 PRELIMINARY
 DRAWING
 DO NOT USE FOR
 CONSTRUCTION



300-275 Carlton Street
 Winnipeg, Manitoba R3C 5R6
 T 204-943-7501
 F 204-943-7507



Crosier Kilgour & Partners Ltd.
 CONSULTING STRUCTURAL ENGINEERS

Project
BONIVITAL POOL
 POOL DECK AND TANKS RESTORATION
 TENDER NO. : 286-2019
 1215 ARCHIBALD STREET
 WINNIPEG, MANITOBA

Sheet Title
BASEMENT FLOOR & POOL FRAMING PLAN

File	2018-1471	Date	2019-08-07
------	-----------	------	------------

Design	DJM	Drawn	MAH
--------	-----	-------	-----

Revision	0	Sheet No.	S2.1
----------	---	-----------	------

BASEMENT FLOOR & POOL FRAMING PLAN
 1/8" = 1'-0"